

Sign in

Google

Web Images Video News Maps more »

ehpe 3150

Search

Advanced Search  
Preferences

Search

## Web

Results 1 - 10 of about 529 for ehpe 3150. (0.17 seconds)

Did you mean: [hp 3150](#)

Sponsored Links

**DAICEL CHEMICAL INDUSTRIES:Article:EHPE 3150**

POLYESTER **EHPE-3150** is a novel epoxy resin developed by DAICEL CHEMICAL Ufs ... These features make **EHPE-3150** adaptable to electronic materials, optics, ...  
[www.daicel.co.jp/kinouhin/english/syousai/ehpe\\_3150.html](http://www.daicel.co.jp/kinouhin/english/syousai/ehpe_3150.html) - 6k -  
[Cached](#) - [Similar pages](#)

ダイセル化学：有機機能品カンパニー：製品詳細：

**EHPE 3150**- [ [Translate this page](#) ]

特徴, オプトエレクトロニクス用絶縁封止剤、粉体塗料等の硬化剤、ガラス繊維の収束剤 ポリエステ **EHPE - 3150** は、ダイセル化学工業(株)が独自の技術を用いて ...

[www.daicel.co.jp/kinouhin/syousai/ehpe\\_3150.html](http://www.daicel.co.jp/kinouhin/syousai/ehpe_3150.html) - 7k -

[Cached](#) - [Similar pages](#)

[ [More results from www.daicel.co.jp](#) ]

**Hp Laserjet**

Choose a Versatile Printer for You  
Photo & Document Needs. Learn More  
[www.hp.com](http://www.hp.com)

**Hp 3150**

Bargain Prices. Smart Deals.  
Save on **Hp 3150!**  
[Shopzilla.com](#)

**ScienceDirect - Polymer : Cure kinetics of methacrylate-type resin ...**

A main factor of reaction conversion rate increase for the NC-9110-MA resin system is a reaction rate constant; however, that for the **EHPE-3150-MA** resin ...  
[linkinghub.elsevier.com/retrieve/pii/S0032386103006475](http://linkinghub.elsevier.com/retrieve/pii/S0032386103006475) - [Similar pages](#)

**[PDF] Cure properties of methacrylate-type prepolymer that include ...**

File Format: PDF/Adobe Acrobat

reaction conversion for **EHPE-3150-MA** prepolymer. Ther- ... than that of **EHPE-3150-MA**, regardless of the kind of ther- mal initiator. ...  
[doi.wiley.com/10.1002/app.13635](http://doi.wiley.com/10.1002/app.13635) - [Similar pages](#)

**IngentaConnect Cure kinetics of methacrylate-type resin that ...**

It can be shown that the reaction conversion rate of one methacrylate-type resin (NC-9110-MA) is faster than another resin (**EHPE-3150-MA**), regardless of the ...  
[www.ingentaconnect.com/content/els/00323861/2003/00000044/00000020/art00647](http://www.ingentaconnect.com/content/els/00323861/2003/00000044/00000020/art00647) -  
[Similar pages](#)

**CAT.INIST.FR**

It can be shown that the reaction conversion rate of NC-9110-MA is faster than that of **EHPE-3150-MA**, regardless of the kind of thermal initiator. ...  
[cat.inist.fr/?aModele=afficheN&cpsidt=15591013](http://cat.inist.fr/?aModele=afficheN&cpsidt=15591013) - [Similar pages](#)

**Fluorocarbon-modified epoxy resin - Patent 20060106177**

Among the **EHPE** series, **EHPE 3150** is a solid epoxy resin and easy to handle. However, a cured product of the **EHPE 3150** has higher water-absorbing property ...  
[www.freepatentsonline.com/20060106177.html](http://www.freepatentsonline.com/20060106177.html) - 47k - [Cached](#) - [Similar pages](#)

**Cationically electrodepositable resin composition from ...**

A mixture of 155 parts of **EHPE 3150** (epoxy equivalent 175 to 195) [(A) ... To 100 parts of this cationic resin (Y-1), 37.5 parts of **EHPE-3150** of a solid ...

www.freepatentsonline.com/5089542.html - 77k - [Cached](#) - [Similar pages](#)  
[ [More results from www.freepatentsonline.com](#) ]

[PDF] [BESCHWERDEKAMMERN DES EUROPÄISCHEN PATENTAMTS BOARDS OF APPEAL OF ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

"EHPE-3150" and hydrogenated bisphenol A-type epoxy resins as well as epoxy resins such as triglycidyl isocyanurate and "YX-4000". ...

legal.european-patent-office.org/dg3/pdf/t010168eu1.pdf - [Similar pages](#)

[Resin composition for aqueous coating containing glycidyl amines ...](#)

As the component (A-1), there can also be used commercial products, for example, EHPE 3150 (trade name) manufactured by DAICEL CHEMICAL INDUSTRIES, LTD. ...

www.patentstorm.us/patents/5405701-description.html - 74k - [Cached](#) - [Similar pages](#)

Did you mean to search for: [hp 3150](#)

Result Page:    1   2   3   4   5   6   7   8   9   10    [Next](#)

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

ehpe 3150 softening point

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 87 for **ehpe 3150 softening point**. (0.37 seconds)Did you mean: [hp 3150 softening point](#)Fluorocarbon-modified epoxy resin - Patent 20060106177

Among the **EHPE** series, **EHPE 3150** is a solid epoxy resin and easy to handle. ... has new problems that this epoxy resin has a low **softening point** and is very ...

[www.freepatentsonline.com/20060106177.html](http://www.freepatentsonline.com/20060106177.html) - 47k - [Cached](#) - [Similar pages](#)

Resin composition and solder resist composition - Patent 5215863

... **EHPE-3150**, a product by Daicel Kagaku Kogyo K.K.) or the like. ... epoxy resin having an epoxy equivalent of 187, "EPPN-201, **softening point** 65.degree. ...

[www.freepatentsonline.com/5215863.html](http://www.freepatentsonline.com/5215863.html) - 39k - [Cached](#) - [Similar pages](#)

[ [More results from www.freepatentsonline.com](#) ]

Photosensitive resin compositions, cured films thereof, and ...

The prepolymer having too high a **softening point** may possible make the ability ... N-glycidyl epoxy resin or alicyclic epoxy resin (e.g., **EHPE-3150** made by ...

[www.patentstorm.us/patents/6156462-description.html](http://www.patentstorm.us/patents/6156462-description.html) - 103k - [Cached](#) - [Similar pages](#)

Alkylsiloxane-containing epoxy resin composition, surface ...

... as side chains (e.g., **EHPE 3150**: trade name, available from Daicel Kagaku). ... is depending on the **softening point** and the glass transition temperature ...

[www.patentstorm.us/patents/6586495-description.html](http://www.patentstorm.us/patents/6586495-description.html) - 67k - [Cached](#) - [Similar pages](#)

[ [More results from www.patentstorm.us](#) ]

Ultraviolet-curable resin composition and photosolder resist ink ...

... the purpose of further improving heat resistance and **softening point** of the ultraviolet ...

"**EHPE-3150**" manufactured by Daicel Chemical Industries, Ltd. ...

[www.sumobrain.com/6896967.html](http://www.sumobrain.com/6896967.html) - 90k - Supplemental Result - [Cached](#) - [Similar pages](#)

Method for color matching of powder coating composition - Patent ...

The thermosetting powder resin has a **softening** temperature of about 30 to about ... and "Celoxide 2021" (tradename) and "**EHPE-3150**" (tradename) both ...

[www.sumobrain.com/6348520.html](http://www.sumobrain.com/6348520.html) - 59k - Supplemental Result - [Cached](#) - [Similar pages](#)

[ [More results from www.sumobrain.com](#) ]

Method for producing a pattern formation mold patent invention

Examples also includes commercially available products (eg, **EHPE-3150** (epoxy equivalent: 170 to 190, **softening point**: 70 to 90.degree. ...

[www.freshpatents.com/Method-for-producing-a-pattern-formation-mold-dt20060824ptan20060189160.php?type=des...](http://www.freshpatents.com/Method-for-producing-a-pattern-formation-mold-dt20060824ptan20060189160.php?type=des...) - 68k - Supplemental Result -

[Cached](#) - [Similar pages](#)

Powder coating composition incorporating a wax in post-blended ...

... at a temperature above the **softening point** of the film-forming polymer(s) but ... and alicyclic poly-epoxides such as "**EHPE-3150**" supplied by Daicel. ...

[www.patentgenius.com/patent/6800334.html](http://www.patentgenius.com/patent/6800334.html) - 95k - Supplemental Result -

[Cached](#) - [Similar pages](#)

Powder coating compositions - Patent # 6797749 - PatentGenius

... at a temperature above the **softening point** of the film-forming polymer(s) ... and on a particle size distribution graph Dv.99 is the **point** on the curve ...  
www.patentgenius.com/patent/6797749.html - 88k - Supplemental Result -  
[Cached](#) - [Similar pages](#)  
[ [More results from www.patentgenius.com](#) ]

#### Method of forming a photoresist element

157 (epoxide equivalent weight of 180 to 250 grams resin per equivalent of epoxide (g resin/eq or g/eq) and a **softening point** of 80-90.degree.C: ...  
innovation.gbwatch.com/patent-application/20060257785.html - 131k - Supplemental Result  
- [Cached](#) - [Similar pages](#)

Did you mean to search for: [hp 3150 softening point](#)

Result Page: 1 of 2 [Next](#)

---

ehpe 3150 softening point

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

ehpe 3150 softening point

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 87 for **ehpe 3150 softening point**. (0.10 seconds)Did you mean: [hp 3150 softening point](#)Fluorocarbon-modified epoxy resin - Patent 20060106177Among the **EHPE** series, **EHPE 3150** is a solid epoxy resin and easy to handle. ... has new problems that this epoxy resin has a low **softening point** and is very ...[www.freepatentsonline.com/20060106177.html](http://www.freepatentsonline.com/20060106177.html) - 47k - [Cached](#) - [Similar pages](#)Resin composition and solder resist composition - Patent 5215863... **EHPE-3150**, a product by Daicel Kagaku Kogyo K.K.) or the like. ... epoxy resin having an epoxy equivalent of 187, "EPPN-201, **softening point** 65.degree. ...[www.freepatentsonline.com/5215863.html](http://www.freepatentsonline.com/5215863.html) - 39k - [Cached](#) - [Similar pages](#)[ [More results from www.freepatentsonline.com](#) ]Photosensitive resin compositions, cured films thereof, and ...The prepolymer having too high a **softening point** may possible make the ability ... N-glycidyl epoxy resin or alicyclic epoxy resin (e.g., **EHPE-3150** made by ...[www.patentstorm.us/patents/6156462-description.html](http://www.patentstorm.us/patents/6156462-description.html) - 103k - [Cached](#) - [Similar pages](#)Alkylsiloxane-containing epoxy resin composition, surface ...... as side chains (e.g., **EHPE 3150**: trade name, available from Daicel Kagaku). ... is depending on the **softening point** and the glass transition temperature ...[www.patentstorm.us/patents/6586495-description.html](http://www.patentstorm.us/patents/6586495-description.html) - 67k - [Cached](#) - [Similar pages](#)[ [More results from www.patentstorm.us](#) ]Ultraviolet-curable resin composition and photosolder resist ink ...... the purpose of further improving heat resistance and **softening point** of the ultraviolet ...

"EHPE-3150" manufactured by Daicel Chemical Industries, Ltd. ...

[www.sumobrain.com/6896967.html](http://www.sumobrain.com/6896967.html) - 90k - Supplemental Result - [Cached](#) - [Similar pages](#)Method for color matching of powder coating composition - Patent ...The thermosetting powder resin has a **softening** temperature of about 30 to about ... and "Celoxide 2021" (tradename) and "EHPE-3150" (tradename) both ...[www.sumobrain.com/6348520.html](http://www.sumobrain.com/6348520.html) - 59k - Supplemental Result - [Cached](#) - [Similar pages](#)[ [More results from www.sumobrain.com](#) ]Method for producing a pattern formation mold patent inventionExamples also includes commercially available products (eg, **EHPE-3150** (epoxy equivalent: 170 to 190, **softening point**: 70 to 90.degree?...)[www.freshpatents.com/Method-for-producing-a-pattern-formation-mold-dt20060824ptan20060189160.php?type=des...](http://www.freshpatents.com/Method-for-producing-a-pattern-formation-mold-dt20060824ptan20060189160.php?type=des...) - 68k - Supplemental Result -[Cached](#) - [Similar pages](#)Powder coating composition incorporating a wax in post-blended ...... at a temperature above the **softening point** of the film-forming polymer(s) but ... and alicyclic poly-epoxides such as "EHPE-3150" supplied by Daicel. ...[www.patentgenius.com/patent/6800334.html](http://www.patentgenius.com/patent/6800334.html) - 95k - Supplemental Result -[Cached](#) - [Similar pages](#)Powder coating compositions - Patent # 6797749 - PatentGenius

... at a temperature above the **softening point** of the film-forming polymer(s) ... and on a particle size distribution graph Dv.99 is the **point** on the curve ...  
www.patentgenius.com/patent/6797749.html - 88k - Supplemental Result -  
[Cached](#) - [Similar pages](#)  
[ [More results from www.patentgenius.com](#) ]

#### Method of forming a photoresist element

157 (epoxide equivalent weight of 180 to 250 grams resin per equivalent of epoxide (g resin/eq or g/eq) and a **softening point** of 80-90.degree. C. ...  
innovation.gbwatch.com/patent-application/20060257785.html - 131k - Supplemental Result  
- [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

Did you mean to search for: **hp 3150 softening point**

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

~~ADNOM~~

=> D HIS

(FILE 'HOME' ENTERED AT 14:54:17 ON 10 JAN 2007)

FILE 'REGISTRY' ENTERED AT 14:56:08 ON 10 JAN 2007

L1 1 S EHPE 3150/CN

FILE 'CAPLUS' ENTERED AT 14:56:35 ON 10 JAN 2007

L2 64 S L1 AND PHOTO?  
L3 3 S L2 AND PHOTOACID  
L4 61 S L2 NOT L3  
L5 1 S L4 AND SULFONIUM  
L6 60 S L4 NOT L5  
L7 0 S L6 AND SULPHONIUM  
L8 0 S L6 AND PHOTO ACID  
L9 11 S L6 AND SOLVENT  
L10 21705 S SOFTENING POINT  
L11 1 S L10 AND L2  
L12 1 S L1 AND L10  
L13 66 S EPOXY RESIN AND L10 AND PHOTO?  
L14 65 S L13 NOT L2  
L15 4 S L14 AND (PHOTOACID OR PHOTO ACID OR SULFONIUM OR SULPHONIUM)

SN 10/526,383

by Primary Examiner Cynthia Hamilton